



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) Publication number : **0 622 018 A1**

(12)

EUROPEAN PATENT APPLICATION

(21) Application number : 94303049.4

(51) Int. Cl.⁵ : **A01K 1/035**

(22) Date of filing : **27.04.94**

(30) Priority : 28.04.93 US 53429

(43) Date of publication of application :
02.11.94 Bulletin 94/44

(84) Designated Contracting States :
DE FR GB IT

(71) Applicant : **UNIVIER INTERNATIONAL CORPORATION**
Suite 2549,
One World Trade Centre
New York, New York 10048 (US)


(72) Inventor : **McMahon, Franklin Duncan**
Apartment 9c,
800 Fifth Avenue
New York, New York 10021 (US)

(74) Representative : **Goodenough, Nigel et al**
A.A. Thornton & Co.
Northumberland House
303-306 High Holborn
London WC1V 7LE (GB)

(54) **Dual-layered cushion for pets.**

(57) A dual-layered cushion (10) for use by an animal, which accommodates the animal's bedding-down behavioural pattern while preventing the shape of the cushion from being excessively distorted by the animal's action has a superstratum (12) constructed such that the animal in preparing to lie on it can and normally will disturb its shape, by moving loosely-packed fill (12b) (according to one embodiment) from one part of the superstratum to another, and a base layer (14) supporting the superstratum such as to limit the degree to which the shape of the superstratum can be disturbed in this fashion.

FIG. 1A



EP 0 622 018 A1

BACKGROUND OF THE INVENTION

Field of the Invention

The invention relates to cushions for pets, and is directed more particularly to the orthopedic support of dogs at rest and especially, toward accommodating the instinctive and epimeletic (self-care) behavior exhibited by dogs known as the "bedding-down" or "nesting" instinct, while simultaneously achieving the secondary goal of lessening the destructive effects of pets on household furniture.

Background of the Invention

Dogs exhibit a definite pattern of epimeletic behavior prior to resting, called the "bedding-down" or "nesting" instinct ("instinct" being understood here as the taking of an action automatically, without premeditation and without prior learning of the action). The bedding-down instinct is generally characterized by the animal circling two or three times on one spot and digging at the ground with the forepaws or nose, giving the appearance of creating an imaginary hole.

There is no consensus among experts as to the origin of this behavior and what it achieves. Whitney (Leon Whitney, D.V.M., in Dog Psychology - The Basis of Dog Training, publ. Chas. C. Thomas, 1964) hypothesizes that the dog's forebears, living as they did in grasslands, had to make nests in the grass by turning around and trampling out a bed for themselves. A related theory contends that this action was meant to scare away snakes and scorpions (mentioned but disputed by Eberhard Trumler, Understanding Your Dog, publ. Faber & Faber, 1973). Neither hypothesis, however, can explain the existence of the instinct in all breeds regardless of their origin.

Vine (Louis L. Vine, D.V.M., Behavior and Training of Dogs and Puppies, publ. Arco Publishing, 1977) contends that the circling motion was more likely an effort to detect the direction of the wind before bedding down so that by placing the nose in an up-wind direction, the dog could more readily detect the scent of approaching enemies. This explanation of the behavior is also rejected by many experts, some of whom favor a less Darwinian explanation. For instance, one authority contends that cats and dogs are inherently comfort-loving creatures and will attempt to create a softer nest by pawing the ground. This behavior is exhibited in the wild by wolves and feral dogs who often seek out a tree with exposed roots and rearrange the leaves before bedding down in them. Additionally, all domesticated animals, with the exception of horses, sleep in a curled-up position, which helps them to thermoregulate, and the turning motion may, as hypothesized by Kurt F. Konig (reported by Trumler, *op. cit.*), be an action designed to achieve the correct curvature of the spine. Similar behavior is ex-

hibited by the coyote, which digs a circular nest in the ground into which it curls up to sleep, as well as the husky and other snow breeds which do the same in the snow.

The dog or cat owner may seek to accommodate this instinctive behavior and ensure the animal's comfort by providing a mattress or cushion. This is particularly important for medium-size and large dogs, which are prone to developing sores on the skin of the elbow, hock and stifle from lying on hard surfaces. The development of sores as well as certain orthopedic problems can be avoided through the use of an appropriately elastic mattress or cushion. In addition, by providing a comfortable resting place, the owner can reduce or eliminate damage to household furniture resulting from the animal's instinctive bedding-down sequence of turning and digging and from oil from the animal's coat coming into contact with the upholstery.

While it would be desirable for there to be a mattress or cushion which accommodates the instinctual behavior as well as physical needs and predilections of companion animals, as far as the inventor is aware, none of the mattresses and cushions now in existence accommodates all of the following:

- 1) the bedding-down instinct characterized by circling and digging;
- 2) the nature of dogs and cats to seek the softest resting place; and
- 3) the need for a resting animal to receive uniform but elastic support in order to avoid orthopedic problems and bedsores.

There are two main types of cushions for pets in existence. The first, similar in many respects to mattresses for human use, consists chiefly of a layer of polyurethane foam of varying thicknesses and degrees of compressibility, covered with a layer of fabric. The second type consists of a circular or rectangular textile cavity filled to varying degrees with small pieces of compressible material or fibrous material, or a combination of small pieces of elastic material and a similarly compressible material such as polyester or cotton batting.

The advantage of a cushion of the first type is that such a cushion will maintain its shape due to its firmness, thereby providing the pet with a more or less even cushioned support at all points across its surface. The disadvantage of such a cushion, however, is that the single uninterrupted layer structure does not accommodate the instinctive behavior of the dog to dig at and rearrange the bedding before settling in the curled-up sleeping position.

The second type of cushion is more pliable. Due to its loose structure, the dog is able to satisfy its instinctive behavior to rearrange its bedding and can enjoy a particularly soft resting place. Such a cushion, however, tends to be amorphous and to lose its shape easily, thereby failing to provide the pet with

adequate, even support across its surface.

It would be desirable to provide companion animals with a mattress or cushion that not only is sufficiently pliable and fluid to indulge their natural instincts, but that also maintains its shape and provides an optimal degree of support to the pet at all points across its surface.

SUMMARY OF THE INVENTION

It is therefore the object of this invention to provide such a cushion.

According to the present invention, the cushion comprises two distinct layers secured to one another: (1) a base layer, or substratum, comprising preferably a single uninterrupted layer of material with some but not excessive compressibility or elasticity; and (2) a second layer, or superstratum, comprising preferably a relatively loosely-packed cavity containing a highly compressible, movable, amorphous material (such as loosely-packed down, polyester batting or small polystyrene beads) or a combination of such materials.

The second layer is supported by the base layer, and may be attached to the base layer over the entire surface of either or both layers, or at selected points. In certain embodiments, the second layer rests on top of the base layer.

In other embodiments, the second layer is within and supported from below by the base layer, where the top surface of the base layer provides a basin-like cavity receiving and preferably surrounding the second layer.

It is intended that the two mentioned layers preferably be enclosed in a single outer casing. However, variations are allowed, and the second layer may be a separately-encased attachment to the firm substratum.

In all embodiments attachment is effected by any suitable method.

The foregoing and other features and advantages of the invention will be more fully appreciated from a consideration of the ensuing detailed description of the preferred embodiments, taken in conjunction with the accompanying drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a perspective view of a first preferred embodiment;

Fig. 1A is a side view, partly in section, of the embodiment of Fig. 1;

Fig. 1B is a view like that of Fig. 1A, of a variation of the first embodiment;

Fig. 2 is a perspective view of a second preferred embodiment; and

Fig. 2A is a sectional view of the embodiment of Fig. 2.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

As shown generally in Fig. 1, the overall appearance of the first preferred embodiment 10 is similar to that of a conventional cushion or mattress, being of roughly uniform thickness and having any overall shape (in this figure, illustratively shown as rectangular). The cushion is entirely covered by an outer casing 16.

As shown in the partial sectional view of Fig. 1A, the cushion 10 comprises an upper layer or superstratum 12 and a lower or base layer 14. In the version shown in Fig. 1A, each of these layers is encased in its own cover 12a, 14a which may be of any suitable conventionally available material. The cover 12a of the superstratum contains a fill 12b of such material, at such density, as will make the superstratum 12 highly compressible and easily pliable. Examples of such materials are Hollofil® (commercially available from Dupont Chemical Company; Hollofil® is a registered trademark of that company) or a similar polyester batting, and goose or duck down. Alternatively, polystyrene beads may be used either alone or in combination with another suitable material. The fill 12b is relatively loosely packed, so that the superstratum 12 is suitably compressible and pliable, and its shape can be rearranged to some degree.

The base layer 14 is relatively densely packed (or otherwise filled) with a material 14b which is preferably only somewhat compressible. Examples of suitable materials are cotton batting and kapok. This layer 14 is packed (or otherwise filled) sufficiently densely to give it a distinct form and shape and make it feel firm to the touch. While the base layer 14 can be compressed with moderate pressure of the hand, such pressure will not permanently change the shape of the base layer in this preferred embodiment.

In the base layer 14, thus, the density of the packing or fill 14b cooperates with the cover 14a to maintain the shape of the base layer. In the superstratum 12, in contrast, the shape is maintained only by the outer covering 12a, and only to a limited extent. More specifically, the packing in the superstratum 12 is preferably such that an animal engaging in typical canine or feline bedding-down behavior could disturb the shape of the superstratum 12 and substantially rearrange the distribution of fill 12b within the cover 12a in the absence of the base layer 14. In actual use pursuant to the invention, however, the superstratum 12 is secured to the base layer 14, by any suitable means. The two respective casings 12a, 14a of the two layers may for example be sewn together or may be attached to each other using snaps, loop-and-hook fabric, buttons, zippers or the like. The attachment of the superstratum to the base layer serves to limit but not eliminate the disturbance of the shape of the superstratum 12 by an animal bedding down on

the latter. Typically, the attachment means (not shown) will be located roughly around the periphery of the cushion 10, optionally with additional points of attachment toward the center.

As a result of the two layers 12, 14 being connected in this fashion, the superstratum 12 retains a high degree of compressibility, but the firmness of the base layer 14 prevents an animal from disturbing the overall shape of the superstratum 12 to a significant extent. Because the upper layer 12, and more specifically its inner covering 12a, is held in place by its attachment to the base layer 14, the animal has only a limited ability to push the fill 12b of the upper layer 12 around so much as to concentrate the fill excessively in some areas while depleting other portions of the superstratum of fill. As a result, an animal sleeping on the cushion 10 of the embodiment of Figs. 1 and 1A is able to engage in its bedding-down behavior, to arrange its sleeping place in a comfortable way and to be assured of proper, even support for all parts of its body.

The outer casing 16 of the embodiment of Figs. 1 and 1A is preferably removable for easy cleaning. It may, for example, be provided with a zipper or with a row of buttons or other suitable fasteners (loop-and-hook material, snaps, etc.) for easy removal and easy securing in place. Also, the outer casing 16, while preferably a single layer (as illustrated), could include a separate inner layer holding the superstratum 12 and base layer 14 permanently, and an outer layer which alone would be removable for cleaning. It will be appreciated that the outer casing can be provided with a decorated surface if desired.

Fig. 1B shows in partial section a variation 20 of the embodiment described above. In this variation, which will be described only insofar as it differs from what is described above, the superstratum 22 and the base layer 24, rather than being constructed separately from each other and then secured together, instead are two compartments or chambers of a single body. Thus, instead of two or more thicknesses of material separating the respective interiors of the superstratum and the base layer, as in the version of Fig. 1A, only a single layer of material 28 is needed to separate the two compartments. For example, the cover 22a of the top layer 22, instead of completely encasing the fill 22b at the top, bottom and all sides as in the version of Fig. 1A, might cover only the top and the sides, and be secured by a seam or the like to the cover 24a of the base layer 24, uniting the two layers into a single permanent object. (At present, this is the one most preferred embodiment.)

Figs. 2 and 2A show another embodiment 30, in which the base layer 34 is formed with a recess 36 in its upper surface, and the superstratum 32 is received in the recess 36. In this embodiment, as in that of Fig. 1B, the cover 32a of the superstratum 32 is preferably secured permanently to the base layer 34,

although this need not be the case and the two layers 32, 34 could instead be formed separately, with the superstratum 32 secured in place in the recess 36 by any suitable means such as the attachment devices listed above. What is important in this, as in all other embodiments, is that the superstratum 32 be appropriate for an animal to use in its customary bedding-down behavior, and yet retain its overall shape to a sufficient degree to provide the resting animal optimal orthopedic support in combination with the base layer.

The embodiment 30 of Figs. 2 and 2A is illustrated as not having an outer casing; nonetheless, such a casing could if desired be provided within the scope of the invention. (It should be noted that while this embodiment is shown as having the upper exposed surface of the superstratum 32 even with the uppermost part of the base layer 34, this relation is not essential and instead the exposed surface of the superstratum 32 could be set below the top of the base layer 34 or in other variants could be allowed to rise above the top of that layer.)

It will be apparent that any desired shape can be given to a cushion constructed according to the present invention. In particular, the cushion need not be rectangular, but can be circular, oval, irregular or indeed of any arbitrary shape whatever. Also, while the base layer and the superstratum are each shown as being roughly uniform in thickness, this is not necessary, as long as the properties of the two layers are as described above. That is, the superstratum must permit the animal to bed down as it wishes, and the base layer must provide such support to the superstratum (normally by being held together therewith) as will limit the extent to which the animal can disturb the shape of the superstratum, so that the animal enjoys even support when resting.

Also, while preferred materials for use in practicing the present invention have been given above, many other materials are suitable for that purpose. In particular, while the superstratum has been described as having an outer covering containing loosely-packed fill of a fibrous or solid material, it is not essential that the content of the superstratum be of a fibrous, granular or particulate nature, as long as the superstratum as a whole has the described properties.

Also, while the base layer has been described as also having an outer covering containing densely-packed fill of a firmer type, other constructions are also possible, including the use of a single block of an appropriate cushioning material such as a synthetic foam, or a set of several such blocks stacked to fill the interior of a cover. Also, it is within the scope of this invention to provide the base layer with a frame of a rigid material located around all or part of the periphery of the cushion.

The present invention has been described in de-

tail with reference to the preferred embodiments thereof. Many modifications and variations thereof will now be apparent to those of ordinary skill in the art, however, and the scope of the invention is not to be limited by the details illustratively described herein, but only by the terms of the appended claims. 5

Claims

1. A cushion for use by an animal, comprising:
 - a superstratum, having an exposed surface for the animal to lie on, and having such a construction that the animal can disturb the shape of said superstratum by stepping, pawing, circling or lying on said exposed surface; and 15
 - a base layer, supporting said superstratum in such fashion as to limit the degree to which said shape of said superstratum can be disturbed by the animal. 20
2. A cushion according to claim 1, further comprising first and second covers respectively encasing said superstratum and said base layer. 25
3. A cushion according to claim 2, further comprising an outer casing containing said superstratum, said base layer and said respective covers.
4. A cushion according to claim 1, wherein said superstratum and said base layer together form a single unit, said superstratum and said base layer sharing at least one thickness of a material of which they are constructed, the shared thickness separating the interior of said superstratum from the interior of said base layer. 30 35
5. A cushion according to claim 3, wherein said outer casing comprises a removable cover, which can be removed from said cushion, for cleaning and be replaced thereafter. 40
6. A cushion according to claim 1, wherein said base layer has an upper surface in which is defined a recess, and wherein said superstratum is received in said recess. 45
7. A cushion according to claim 1, wherein said base layer comprises a firm cushioning element as means by which said base layer retains its shape. 50
8. A cushion according to claim 7, wherein said cushioning element is made of a synthetic foam.
9. A cushion according to claim 7, wherein said superstratum further comprises a cover and loosely-packed fill contained in said cover. 55

FIG. 1




FIG. 1A





FIG. 1B






FIG. 2




FIG. 2A



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 94 30 3049

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. CL.5)
Y A	DE-U-86 17 064 (MARMONT) * the whole document * ---	1 9	A01K1/035
Y A	EP-A-0 465 810 (LDCK) * the whole document * ---	1 3,5-9	
A	FR-A-1 326 155 (CHENU) * the whole document * ---	1,3	
A	US-A-5 002 014 (ALBIN) -----		
			TECHNICAL FIELDS SEARCHED (Int. CL.5)
			A01K A47C
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 27 July 1994	Examiner Verdoodt, S
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons</p> <p>A : member of the same patent family, corresponding document</p>			

EPO FORM 1503 01.83 (P04001)

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.